
TOBACCO STOCKS

as of OCTOBER 1, 1974



TOB 68

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

November 1974

BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

CLASS 1, FLUE-CURED TYPES

Type 11: Old Belt flue-cured; produced principally in the Piedmont sections of Virginia and North Carolina.

Type 12: Eastern North Carolina flue-cured; produced principally in the coastal sections of North Carolina, north of the South River.

Type 13: South Carolina flue-cured; produced principally in the coastal sections of South Carolina, the southeastern counties of North Carolina, south of the South River.

Type 14: Georgia and Florida flue-cured; produced principally in southern Georgia and northern Florida.

CLASS 2, FIRE-CURED TYPES

Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.

Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopklinsville; produced principally in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.

Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced principally in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

CLASS 3, AIR-CURED TYPES

LIGHT AIR-CURED (CLASS 3a)

Type 31: Burley; produced principally in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri. Type 32: Southern Maryland; produced principally in five counties of southern Maryland--Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

DARK AIR-CURED (CLASS 3b)

Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.

Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.

Type 37: Virginia sun-cured; produced principally in central Virginia, north of the James River.

CLASS 4, CIGAR-FILLER TYPES

Type 41: Pennsylvania Seedleaf; produced principally in Lancaster County, Pa., and the adjoining

Type 42-44: Ohio filler; produced principally in the Miami Valley section of Ohio and extending into Indiana.

Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (M...a); produced on the Island of Puerto Rico

CLASS 5, CIGAR-BINDER TYPES

Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachuset'.

Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.

Type 53: New York and Pennsylvania Havana Seed; produced in the Big Flats and Onondaga sections of New York, and extending into Pennsylvania.

Type 54: Southern Wisconsin; produced in Wisconsin, south and east of the Wisconsin River.

Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

CLASS 6, CIGAR-WRAPPER TYPES

Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.

Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

Type 72: Louisiana Perique.

Type 73: All domestic types of tobacco not otherwise classified.

FOREIGN TYPES

Type 81: Cuba

Type 82: Indonesia

Type 83: Philippine Islands

Type 84: Brazil

Type 85: Colombia

Type 86: Dominican Republic

Type 87: Paraguay

Type 88: Mexico

Type 89: Other foreign-grown cigar leaf

Type 91: Foreign-grown Oriental and Aromatic Type 92: Foreign-grown flue-cured

Type 93: Foreign-grown burley

Table 1. Factors for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco

AUCTION MARKET AREAS (Types 11-37) 1/

| | | Fa | actors to multi | ply by to | convert - | | |
|---|--------|----------------|--------------------------|-------------|-------------------------|----------------|--------------------------|
| Thurs Many | Three | Stemmed s | stocks to - | | ned stocks | | |
| Type Name | Type | Unstemmed | : rarm-sales : weight | | -sares-wer Juivalent | .gn t | |
| | | | : equivalent | | acked weig | ht 1/ | |
| | | | | : | | | |
| Flue-cured | 11-14 | 1.295 | 1.450 | : | | 1.12 | |
| Virginia fire-cured Tennessee and Kentucky | 21 | 1.299 | 1.598 | : | | 1.23 | |
| fire-cured | 22-23 | 1.324 | <u>2</u> / 1.471 | : | | 1.04 | |
| Burley | 31 | 1.345 | 1.510 | : | | 1.12 | |
| Southern Maryland | 32 | 1.373 | 1.400 | : | | 1.02 | |
| One Sucker | : 35 : | 1.413 | 1.554 | : | | 1.10 | |
| | : 36 | 1.389 | 1.570 | : | | 1.13 | |
| Virginia sun-cured | 37 | 1.326 | 1.538 | : | | 1.16 | |
| Miscellaneous domestic | 72-73 | 1.333 | 1.493 | : | | 1.12 | |
| | | DOMEST | IC-GROWN CIGAR | LEAF (Type | es 4 1- 62) | | |
| | | : | | : | : | | Average for |
| | | | 0.1 | | | | Oct.1,1974 |
| | | | <u>2</u> / | | : weight | | |
| | | | | : 3/ | : 3/ | : <u>3</u> / : | <u>3</u> / |
| Pennsylvania Seedleaf | 41 | 1.444 | 1.718 | : 1.19 | 1.05 | 1.00 | 1.02 |
| | 42-44 | 1.454 | 1.730 | : 1.19 | 1.05 | 1.00 | 1.11 |
| Puerto Rican | 46 | 1.314 | 1.551 | : 1.18 | 1.16 | 1.00 | (1.16-U.S. (1.11-P.R. |
| Connecticut Broadleaf | : 51 : | 1.375 | 1.622 | : 1.18 | 1.04 | 1.00 | 1.10 |
| Connecticut Havana Seed | | | 1.635 | : 1.18 | 1.04 | 1.00 | 1.15 |
| Southern Wisconsin | | 1.383 | 1.687 | : 1.22 | 1.06 | 1.00 | 1.02 |
| Northern Wisconsin | 55 | 1,404 | 1.713 | : 1.22 | 1.06 | 1.00 | 1.04 |
| Connecticut Shade | 61 | 1.245 | 1.419 | : 1.14 | 1.10 | 1.00 | 1.06 |
| Georgia and Florida Shade | 62 | 1.235 | 1.408 | : 1.14 | 1.10 | 1.00 | 1.10 |
| | | : | | : | | | |
| | | II | MPORTED LEAF (1 | Types 81-93 | 3) | | |
| Cigar leaf | 81-89 | 1.400 | 1.624 | : | | 1.16 | |
| Aromatic | 91 | 1.333 | 1.466 | : | | 1.10 | |
| ALUMALIC | | | 1.400 | | | | |
| | 92 | 1.295 | 1.450 | | | 1.12 | |
| Foreign-grown flue-cured Foreign-grown burley | | 1.295 1.345 | 1.450 1.506 | : | | 1.12 1.12 | |

^{1/} Types 11-37 are reported on the basis of packed weight.
2/ Farm-sales-weight equivalent based on unstemmed sweated weight factor.
3/ The instructions for reporting unstemmed cigar-leaf of the domestic types require that dealers and manufacturers indicate the weight basis on which the tobacco is reported, namely, farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of average factors reflecting the percentage reported each quarter in each of these three categories.

Table 2. Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent. October 1, 1974, compared with other quarters $\underline{1}/$

FARM SALES WEIGHT

| | : U.S. : | | October 1 | | : | : : | |
|--|----------------|-----------|-------------|-------------|---------------------|-----------------------|-------------------|
| | : Type : | | : : 1973 | : : 1972 | : July 1, : 1974 | : April 1, : : 1974 : | January 1 1974 |
| lue-cur ed | 11-14 | 2,155,835 | 2,111,691 | 2,340,116 | 1,607,284 | 1,926,508 | 2,232,368 |
| irginia fire-cured | : 21 | 7,101 | 7,628 | 8,266 | 8,442 | 9,635 | 6,911 |
| ennessee and Kentucky fire-cured (Eastern District) | 22 | 40,192 | 48,029 | 47,108 | 48,668 | 54,509 | 39,801 |
| entucky and Tennessee (Western District) | 23 | 4,907 | 9,228 | 9,107 | 6,693 | 9,102 | 7,540 |
| Total fire-cured | 21-23 | 52,200 | 64,885 | 64,481 | 63,803 | 73,246 | 54,252 |
| urley | 31 | 1,070,665 | 1,229,175 | 1,248,469 | 1,216,535 | 1,377,494 | 1,353,545 |
| outhern Maryland | :32: | 61,711 | 52,682 | 54,470 | 67,918 | 39,989 | 43,842 |
| Total light air-cured | 31-32 | 1,132,376 | 1,281,857 | 1,302,939 | 1,284,453 | 1,417,483 | 1,397,387 |
| ne Sucker | 35 | 23,117 | 28,030 | 29,417 | 27,845 | 30,504 | 27,649 |
| reen River | : 36 : | 13,772 | 16,685 | 16,772 | 15,369 | 17,532 | 15,813 |
| irginia sun-cured | :37: | 2,974 | 3,204 | 2,999 | 3,177 | 3,399 | 3,271 |
| Total dark air-cured | 35-37 | 39,863 | 47,919 | 49,188 | 46,391 | 51,435 | 46,733 |
| ennsylvania seedleaf | 41 | 47,513 | 53,720 | 70,179 | 49,214 | 55,190 | 44,951 |
| nio Filler (Miami Valley) | 42-44 | | 6,830 | 7,035 | 6,849 | 8,538 | 5,79 |
| in United States | : 46 : | 3,557 | 3,273 | 3,475 | 2,841 | 1,850 | 3,20 |
| in Puerto Rico | :46; | 6,489 | 5,919 | 9,196 | 8,449 | 4,637 | 3,45 |
| Total cigar filler | :41-46 | 63,413 | 69,742 | 89,885 | 67,353 | 70,215 | 57,40 |
| onnecticut Valley Broadleaf | 51 | 4,877 | 5,362 | 5,152 | 5,132 | 5,673 | 5,250 |
| onnecticut Valley Havana Seed | 52 | 2,121 | 2,123 | 2,286 | 2,288 | 2,006 | 2,16 |
| outhern Wisconsin | : 54 : | 18,924 | 19,447 | 20,256 | 21,857 | 24,242 | 16,20 |
| orthern Wisconsin | :55: | 16,921 | 19,546 | 18,959 | 20,433 | 23,429 | 18,298 |
| Total cigar binder | 51-55 | 42,843 | 46,478 | 46,653 | 49,710 | 55,350 | 41,92 |
| onnecticut shade | : 61 | 9,652 | 11,384 | 12,175 | 8,503 | 9,804 | 10,76 |
| eorgia and Florida shade | : 62 : | 6,621 | 6,946 | 7,930 | 6,534 | 7,303 | 7,30 |
| Total cigar wrapper | : 61-62 | 16,273 | 18,330 | 20,105 | 15,037 | 17,107 | 18,070 |
| erique | : 72 | 523 | 663 | 948 | 601 | 575 | 734 |
| ther miscellaneous domestic 2/ | : 73 : | 6,712 | 5,420 | 5,303 | 5,899 | 5,465 | 5,720 |
| Total miscellaneous domestic | : 72-73 | | 6,083 | 6,251 | 6,500 | 6,040 | 6,45 |
| uba | : 81 : | 173 | 300 | 486 | 172 | 191 | 275 |
| ndonesia | 82 | 9,352 | 10,226 | 4,604 | 10,644 | 10,561 | 9,76 |
| hilippine Islands | : 83 | 40,959 | 33,237 | 37,677 | 40,896 | 35,309 | 33,53 |
| razil | : 84 : | 8,834 | 8,804 | 7,200 | 8,937 | 7,923 | 7,71 |
| olumbia | : 85 : | 13,756 | 13,363 | 10,553 | 9,746 | 9,809 | 10,43 |
| ominican Republic | : 86 : | | 16,556 | 10,426 | 21,987 | 22,780 | 17,90 |
| araguay | : 87 : | 8,072 | 7,273 | 4,339 | 8,326 | 7,106 | 9,01 |
| exico | : 88 : | 5,616 | 6,395 | 6,713 | 3,018 | 4,449 | 4,79 |
| ther foreign-grown cigar leaf | :89; | 19,547 | 19,165 | 13,155 | 20,393 | 22,237 | 18,85 |
| Total imported leaf | 81-89 | 126,135 | 115,315 | 95,153 | 124,119 | 120,455 | 112,30 |
| oreign-grown Oriental and | | | | | | | |
| Aromatic | : 91 : | 350,304 | 360,425 | 360,000 | 383,435 | 373,592 | 355,12 |
| Foreign-grown flue-cured | : 92 : | 54,400 | 37,679 | 19,495 | 46,755 | 43,802 | 37,80 |
| oreign-grown burley | : <u>93</u> : | 88,353 | 35,925 | 10,504 | 67,285 | 59,320 | 49,39 |
| Total imported cigarette and smoking tobacco leaf | : <u>91-93</u> | 493,057 | 434,029 | 389,999 | 497,475 | 476,714 | 442,32 |
| otal All Types | : 11-93 : | 4,129,230 | 4,196,329 | 4,404,770 | 3,762,125 | 4,214,553 | 4,409,21 |

 $[\]underline{1/}$ Totals include stocks of leaf tobacco sheet. See separate reporting in Table 5. $\underline{2/}$ Type 73 is defined as all domestic tobacco not otherwise classified.

Table 3. Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1974 compared with other quarters $\frac{1}{2}$

REPORTED WEIGHT

| | U.S. | Oct | ober 1, 1974 | 3/ | | | |
|---|----------------|---------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| TYPE NAME | Type Number | : Unstemmed | Stemmed | Total | 0ct. 1, 1973 | July 1, 1974 | April 1 1974 |
| | | : <u>1,000 1b</u> . | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 16 |
| Flue-cured | 11-14 | : 272,589 | 1,276,231 | 1,548,820 | 1,537,452 | 1,444,297 | 1,381,616 |
| /irginia fire-cured | 21 | : : 5,647 | 98 | 5,745 | 6,191 | 6,829 | 7,748 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | : 38,248 : | 282 | 38,530 | 46,012 | 46,689 | 52,281 |
| (Western District) | 23 | : 4,611 | 76 | 4,687 | 8,616 | 6,413 | 8,501 |
| Total fire-cured | 21-23 | 48,506 | 456 | 48,962 | 60,819 | 59,931 | 68,530 |
| Surley | 31 | : : 139,406 | 605,649 | 745,055 | 879,194 | 846,698 | 961,655 |
| Southern Maryland | 32 | : 13,605 | 34,167 | 47,772 | 40,633 | 54,159 | 30,418 |
| Total light air-cured | 31-32 | : 153,011 | 639,816 | 792,827 | 919,827 | 900,857 | 992,07 |
| ne Sucker | 35 | : 13,055 | 5,635 | 18,690 | 22,825 | 22,599 | 24,865 |
| Green River | 36 | : 9,338 | 2,051 | 11,389 | 13,967 | 12,840 | 14,64 |
| /irginia sun-cured | 37 | : 1,281 | 968 | 2,249 | 2,385 | 2,387 | 2,53 |
| Total dark air-cured | 35-37 | : 23,674 | 8,654 | 32,328 | 39,177 | 37,826 | 42,05 |
| Pennsylvania Seedleaf | 41 | : 24,495 | 13,114 | 37,609 | 43,815 | 40,041 | 46,03 |
| hio Filler (Miami Valley) | 42-44 | : 5,033 | 15,114 | 5,187 | 6,012 | 6,073 | 7,58 |
| Puerto Rico; | | : 5,000 | 23, | 3,10. | ,,,,, | 0,0.0 | .,,,, |
| in United States | 46 | : 2,061 | 752 | 2,813 | 2,420 | 2,095 | 1,24 |
| in Puerto Rico | 46 . | :5,046 | 572 | 5,618 | 4,972 | 7,625 | 3,79 |
| Total cigar filler | 41-46 | : 36,635 | 14,592 | 51,227 | 57,219 | 55,834 | 58,66 |
| Connecticut Valley Broadleaf | 51 | 3,859 | 390 | 4,249 | 4,438 | 4,428 | 4,87 |
| Connecticut Valley Havana Seed | 52 | : 1,792 | 37 | 1,829 | 1,837 | 1,927 | 1,73 |
| Southern Wisconsin | 54 | : 15,614 | 1,778 | 17,392 | 17,456 | 19,867 | 22,17 |
| Northern Wisconsin | 55 | 9,879 | 3,880 | 13,759 | 15,877 | 17,085 | 19,81 |
| Total cigar binder | 51-55 | 31,144 | 6,085 | 37,229 | 39,608 | 43,307 | 48,59 |
| Connecticut shade | 61 | . 7,533 | 1,175 | 8,708 | 10,113 | 7,544 | 8,82 |
| Georgia and Florida shade | 62 | : 4,816 | 941 | 5,757 | 5,994 | 5,616 | 6,33 |
| Total cigar wrapper | 61-62 | :12,349 | 2,116 | 14,465 | 16,107 | 13,160 | 15,15 |
| Perique | : : 72 | : : 65 | 302 | 367 | 473 | 404 | 39 |
| Other miscellaneous domestic | 73 4/ | : 6 | 4,491 | 4,497 | 3,630 | 3,952 | 3,66 |
| Total miscellaneous domestic | 72-73 | : 71 | 4,793 | 4,864 | 4,103 | 4,356 | 4,05 |
| | : | : | | | | | |
| Cuba | : 81 | : 9 | 100 | 109 | 190 | 110 | 12 |
| Indonesia Philippine Islands | : 82 : 83 | : 5,733 : 12,226 | 1,664 16,488 | 7,397 28,714 | 8,304 24,212 | 8,352 27,993 | 8,51 24,97 |
| Brazil | : 84 | : 5,600 | 1,440 | 7,040 | 6,948 | 7,065 | 6,24 |
| Colombia | : 85 | : 6,207 | 4,038 | 10,245 | 10,140 | 6,900 | 7,15 |
| Dominican Republic | : 86 | : 10,300 | 4,851 | 15,151 | 12,554 | 17,076 | 17,96 |
| Paraguay | : 87 | : 5,374 | 1,133 | 6,507 | 5,977 | 6,861 | 5,74 |
| fexico | : 88 | : 2,508 | 1,667 | 4,175 | 5,095 | 2,297 | 3,49 |
| ther foreign-grown leaf | :89 | : 11,944 | 3,505 | 15,449 | 15,584 | 16,201 | 17,57 |
| Total foreign-grown cigar leaf | : 81-89 | : 59,901 | 34,886 | 94,787 | 89,004 | 92,855 | 91,77 |
| Foreign-grown Oriental and Aromatic | : : 91 | : 315,938 | 1,891 | 317,829 | 326,874 | 347,902 | 338,92 |
| Foreign-grown flue-cured | : 92 | : 16,964 | 24,414 | 41,378 | 29,075 | 35,636 | 32,33 |
| Foreign-grown Burley | 93 | : 7,275 | 53,258 | 60,533 | 25,197 | 46,282 | 40,20 |
| Total imported cigarette and | | : | | | | | |
| smoking tobacco leaf | : 91-93 : | :340,177 | 79,563 | 419,740 | 381,146 | 429,820 | 411,46 |
| | | | | | | | |

^{1/} Totals include stocks of leaf reported in tobacco sheet. See reporting in Table 5.
2/ These statistics represent the quantity of leaf tobacco owned by dealers and manufacturers and others subject to the provisions of PL 661, enacted January 14, 1929 and the amendments thereto.
2/ Subject to revision.
4/ For explanation of stocks included in this classification see footnote 2 on Page 4.

Table 4. Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1967-74. TOTAL ALL TYPES, 11-62

| arketing : | Carryov | ver stocks | <u>1</u> / | | | : | | isappearanc | e | Average |
|--|--|--|--|--|--|--|--|--------------------------------------|--|--|
| Year | Manu- facturers | : Under : Loan | Other | Tota1 | Production or Sales | : Total : Supply | Total | Export | Other | Price to Growers |
| | | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Cents |
| 1967 | 2,681.8 | 1 0/2 5 | 454.5 | / 170 g | 1,965.4 | 6.145.2 | 2 027 5 | 61.7 6 | 1 200 0 | (7.7 |
| 1968 | | 1,043.5 1,154.1 | 392.2 | 4,179.8 4,107.7 | 1,731.9 | 5,839.6 | 2,037.5 1,991.6 | 647.6 622.6 | 1,389.9 1,369.0 | 67.1 68.8 |
| 1969 : | | 1,172.9 | 332.5 | 3,848.0 | 1,809.3 | 5,657.3 | 1,960.3 | 640.2 | 1,320.1 | 71.7 |
| 1970 : | | 1,236.7 | 323.0 | 3,697.0 | 1,895.9 | 5,592.9 | 1,927.4 | 638.5 | 1,288.9 | 73.3 |
| 1971 : | | 1,250.0 | 307.3 | 3,665.5 | 1,710.0 | 5,375.5 | 1,892.4 | 571.0 | 1,321.4 | 78.5 |
| 1972 : | | 961.9 | 309.6 | 3,483.1 | 1,752.7 | 5,235.8 | 1,957.9 | 639.0 | 1,318.9 | 82.9 |
| 1973 : 1974 2/ : | | 697.0 424.6 | 291.3 272.7 | 3,277.9 2,953.0 | 1,765.9 1,969.5 | 5,043.8 4,922.5 | 2,090.8 | 732.2 | 1,358.6 | 89.7 |
| | | | | FLUI | E-CURED, TYPES y-June Marketin | 11-14 | | | | |
| 1967 : | 1,306.1 | 685.4 | 281.0 | 2,272.5 | 1,250.0 | 3,522.5 | 1,221.0 | 533.3 | 687.7 | 64.2 |
| 1968 | | 773.3 | 252.7 | 2,301.5 | 995.6 | 3,297.1 | 1,197.0 | 525.3 | 671.7 | 66.6 |
| 1969 : | 1,080.8 | 800.5 | 218.8 | 2,100.1 | 1,052.8 | 3,152.9 | 1,180.5 | 534.6 | 645.9 | 72.4 |
| 1970 : | | 744.9 | 213.7 | 1,972.4 | 1,178.1 | 3,150.5 | 1,174.0 | 534.0 | 640.0 | 72.0 |
| 1971 : | | 761.9 | 204.6 | 1,976.5 | 1,076.3 | 3,052.8 | 1,142.6 | 480.0 | 662.6 | 77.2 |
| 1972 : | | 617.8 | 205.8 | 1,910.2 | 1,022.1 | 2,932.3 | 1,183.0 | 518.8 | 664.2 | 85.3 |
| 1973 : 1974 <u>2</u> / : | | 402.3 276.7 | 193.3 176.4 | 1,749.3 | 1,159.0 - 1,260.2 | 2,908.3 | 1,301.0 | 598.0 | 703.0 | 88.1 |
| | | | | | NIA FIRE-CURED -September Mar | | | | | |
| L967 : | | 2.7 | 4.2 | 14.8 | 7.0 | 21.8 | 10.1 | 6.7 | 3.4 | 40.9 |
| 1968 : | 6.5 | 2.8 | 2.4 | 11.7 | 5.9 | 17.6 | 7.7 | 4.7 | 3.0 | 46.9 |
| L969 : | | 1.9 | 3.0 | 9.9 | 6.7 | 16.6 | 6.8 | 5.1 | 1.7 | 53.1 |
| L970 : | | 1.4 | 3.6 | 9.8 | 6.2 | 16.0 | 7.0 | 4.6 | 2.4 | 52.0 |
| 1971 : | | 1.0 | 3.1 | 9.0 | 5.9 | 14.9 | 6.6 | 3.5 | 3.1 | 54.8 |
| 1972 : 1973 : | | 0.4 | 2.6 4.5 | 8.3 7.6 | 4.7 5.7 | 13.0 13.3 | 5.4 6.2 | 4.1 4.5 | 1.3 1.7 | 64.: 75.: |
| L973 L974 <u>2</u> / : | | | 3.1 | 7.1 | 6.3 | 13.3 | 0.2 | 4.5 | 1./ | /5.: |
| | | | | | TOTAL, TYPES 2 -September Mar | | | | | |
| | | | 22.0 | 91.3 | 29.4 | 120.7 | 41.9 | 27.1 | 14.8 | 46.2 |
| | 42.0 | 27.3 | | | | | | | | |
| L968 : | 40.7 | 21.4 | 16.7 | 78.8 | 32.6 | 111.4 | 38.7 | 19.6 | 19.1 | 51.1 |
| L968 : | 40.7 42.7 | 21.4 11.7 | 16.7 18.3 | 78.8 72.7 | 32.6 34.1 | 111.4 106.8 | 43.0 | 24.5 | 18.5 | 48.1 |
| L968 : L969 : | 40.7 42.7 35.3 | 21.4 11.7 9.7 | 16.7 18.3 18.8 | 78.8 72.7 63.8 | 32.6 34.1 30.9 | 111.4 106.8 94.7 | 43.0 41.4 | 24.5 28.3 | 18.5 13.1 | 48.1 54.4 |
| 1968 : 1969 : 1970 : | 40.7 42.7 35.3 34.6 | 21.4 11.7 9.7 4.7 | 16.7 18.3 18.8 14.0 | 78.8 72.7 63.8 53.3 | 32.6 34.1 30.9 37.6 | 111.4 106.8 94.7 90.9 | 43.0 41.4 34.7 | 24.5 28.3 18.7 | 18.5 13.1 16.0 | 48.1 54.4 60.8 |
| .968 : .969 : .970 : .971 : | 40.7 42.7 35.3 34.6 37.7 | 21.4 11.7 9.7 4.7 1.2 | 16.7 18.3 18.8 14.0 16.5 | 78.8 72.7 63.8 53.3 56.2 | 32.6 34.1 30.9 37.6 37.6 | 111.4 106.8 94.7 90.9 93.8 | 43.0 41.4 34.7 36.5 | 24.5 28.3 18.7 22.3 | 18.5 13.1 16.0 14.2 | 48.3 54.4 60.4 57.3 |
| 1968 : 1969 : 1970 : 1971 : 1972 : 1973 : | 40.7 42.7 35.3 34.6 37.7 37.7 | 21.4 11.7 9.7 4.7 | 16.7 18.3 18.8 14.0 | 78.8 72.7 63.8 53.3 | 32.6 34.1 30.9 37.6 | 111.4 106.8 94.7 90.9 | 43.0 41.4 34.7 | 24.5 28.3 18.7 | 18.5 13.1 16.0 | 51.1 48.1 54.4 60.8 57.3 71.7 |
| 1968 : 1969 : 1970 : 1971 : 1972 : | 40.7 42.7 35.3 34.6 37.7 37.7 | 21.4 11.7 9.7 4.7 1.2 3.1 | 16.7 18.3 18.8 14.0 16.5 16.5 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 | 32.6 34.1 30.9 37.6 37.6 27.7 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 | 43.0 41.4 34.7 36.5 39.9 | 24.5 28.3 18.7 22.3 | 18.5 13.1 16.0 14.2 | 48.1 54.4 60.8 57.3 |
| 1968 1969 1970 1971 1972 1973 1974 2/ 1974 2/ 1967 1967 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 4 KENTUCKY FIR: -September Mari | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 E-CURED, TYP keting Year) | 43.0 41.4 34.7 36.5 39.9 E 22 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 | 48.1 54.4 60.8 57. 71.7 |
| 1968 1969 1970 1971 1972 1973 1974 2/ 1 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 4 KENTUCKY FIR: -September Mari | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP seting Year) 94.4 88.5 | 43.0 41.4 34.7 36.5 39.9 E 22 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 | 48.1 54.4 60.8 57.2 71.1 |
| 1968 1969 1970 1971 1972 1973 1974 2/ 1974 2/ 1968 1969 196 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 d KENTUCKY FIR: -September Mari | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP secting Year) 94.4 88.5 84.7 | 43.0 41.4 34.7 36.5 39.9 E 22 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 | 48.1 54.6 60.8 57.7 71.7 |
| 1968 1969 1970 1971 1972 1973 1974 2/ 1 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE 16.5 12.8 14.0 15.0 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 | 32.6 34.1 30.9 37.6 27.7 30.8 d KENTUCKY FIR: -September Marl 23.0 25.3 25.8 24.4 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP keting Year) 94.4 88.5 84.7 77.2 | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 | 48.1 54.6 60.8 57.7 71.7 |
| 1968 1969 1970 1971 1972 1973 1974 2/ 1976 1968 1969 1970 1970 1971 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 INNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 4 KENTUCKY FIR. -September Mari 23.0 25.3 25.8 24.4 29.9 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP xeting Year) 94.4 88.5 84.7 77.2 75.5 | 43.0 41.4 34.7 36.5 39.9 E 22 29.6 31.9 31.4 28.6 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 | 46.5 54.6 60.6 57.7 71.7 46.5 51.5 48.6 54.6 |
| 968 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 37.3 30.9 30.6 32.2 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE 16.5 12.8 14.0 15.0 11.2 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 A KENTUCKY FIR: September Mari 23.0 25.3 25.8 24.4 29.9 30.6 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP keting Year) 94.4 88.5 84.7 77.2 | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 | 48.1 54.2 60.8 57.3 71.7 46.5 51.5 48.4 54.8 61.6 58.6 |
| 1.968 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 37.3 35.0 37.3 35.0 37.3 30.9 30.6 32.2 32.2 32.6 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 INNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 4 KENTUCKY FIR. -September Mari 23.0 25.3 25.8 24.4 29.9 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP keting Year) 94.4 88.5 84.7 77.2 75.5 77.7 | 43.0 41.4 34.7 36.5 39.9 E 22 29.6 31.9 31.4 28.6 29.7 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 | 48.1 54.2 60.8 57.3 71.7 46.5 51.5 48.4 54.8 61.6 58.6 |
| 1968 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.3 35.0 37.3 35.0 37.3 30.9 30.6 32.2 32.6 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 | 16.7 18.3 18.8 14.0 16.5 16.5 8.7 TE 16.5 12.8 14.0 15.0 11.2 13.8 12.9 7.6 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 INNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 47.1 48.0 40.2 | 32.6 34.1 30.9 37.6 37.6 27.7 30.8 4 KENTUCKY FIR. -September Marl 23.0 25.3 25.8 24.4 29.9 30.6 23.2 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 3-CURED, TYP keting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 65.8 | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 | 48.1 54.2 60.8 57.3 71.7 46.5 51.5 48.4 54.8 61.6 58.6 |
| 1968 1969 1970 1971 1972 1968 19974 2/ 1973 1974 2/ 1973 1974 2/ 1974 2/ 1974 1974 2/ 1974 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 37.3 30.9 30.9 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6.9 9 4.0 1.1 2.5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 2.8 14.0 11.2 13.8 12.9 7.6 KE | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 47.1 48.0 40.2 NTUCKY and (October- | 32.6 34.1 30.9 37.6 37.6 37.6 37.6 37.6 37.6 32.7 30.8 3 KENTUCKY FIR: -September Marl 23.0 25.3 25.8 24.4 29.9 30.6 23.2 25.6 24.4 September Marl | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 E-CURED, TYP keting Year) 94.4 88.5 84.7 77.2 75.5 77.7 77.2 65.8 E-CURED, TYP keting Year) | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.4 60.2 57.1 71.1 |
| 1968 : 1966 : 1970 : 1967 : 1967 : 1967 : 1966 : 1974 2/ : 1966 : 1974 2/ : 1966 : 196 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 37.3 35.0 37.3 30.9 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6.9 9 4.0 1.1 2.5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 8.7 TE 12.8 14.0 11.2 13.8 12.9 7.6 | 78.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 47.1 48.0 40.2 NTUCKY and (October- | 32.6 34.1 30.9 37.6 37.6 37.6 27.7 30.8 3 KENTUCKY FIR -September Mari 23.0 25.3 25.8 24.4 29.9 30.6 23.2 25.6 TENNESSEE FIR -September Mari 6.4 7.3 | 111.4 106.8 94.7 90.9 93.8 85.00 75.9 8-CURED, TYP teting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 65.8 8-CURED, TYP teting Year) | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.4 60.8 57.2 71.7 46.5 51.5 48.4 58.6 71.6 |
| 1968 : 1979 : 1971 : 1972 : 1974 2/ : 1971 : 1972 : 1973 : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1975 : 1975 2 : 197 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 35.0 37.3 30.9 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6.9 9 4.0 1.1 1.2.5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 17 16.5 12.8 14.0 15.0 11.2 13.8 12.9 7.6 KE | 78.8 72.7 63.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 45.8 47.1 48.0 40.2 NTUCKY and (October- 19.9 15.6 13.7 | 32.6 34.1 30.9 37.6 37.6 37.6 37.6 30.8 3 KENTUCKY FIR: -September Marl 23.0 25.3 24.4 29.9 30.6 23.2 25.6 TENNESSE FIR: -September Marl | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 2-CURED, TYP ceting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 65.8 2-CURED, TYP ceting Year) 26.3 22.9 22.9 | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 28.6 29.7 31.0 E 23 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.2 60.8 57.2 71.3 46.5 51.3 48.4 54.4 54.1 58.1 71.4 |
| 1968 1969 1970 1971 1967 1972 1973 1974 2/ 1973 1974 2/ 1966 1974 2/ 1967 1968 1969 1971 1972 1973 1974 2/ 1975 1976 1976 1976 1977 1976 1977 197 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.0 37.9 30.6 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6.9 9 4.0 1.1 2.5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 16.5 12.8 14.0 11.2 13.8 12.9 7.6 KE | 78.8 72.7 63.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 45.8 45.8 47.1 48.0 40.2 NTUCKY and (October- | 32.6 34.1 30.9 37.6 37.6 37.6 27.7 30.8 3 KENTUCKY FIR -September Mari 23.0 25.3 25.8 24.4 29.9 30.6 23.2 25.6 TENNESSEE FIR -September Mari 6.4 7.3 8.3 6.5 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 8-CURED, TYP teting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 65.8 8-CURED, TYP teting Year) 22.9 22.0 17.6 | 43.0 41.4 34.7 36.5 39.9 E 22 29.6 31.9 31.4 28.6 29.7 31.0 E 23 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.4 60.8 57.2 71.7 46.9 51.5 48.4 54.8 71.6 |
| 1968 : 1969 : 1970 : 1971 : 1972 : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1975 : 1976 : 1976 : 1976 : 1977 : 197 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.0 37.3 30.9 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6 6.9 4.0 1.1 1.5 5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 16.5 17 18.8 14.0 18.8 14.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19 | 78.8 72.7 63.8 72.7 63.8 53.3 56.2 57.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 52.8 47.1 48.0 40.2 NTUCKY and (October- 19.9 15.6 13.7 11.1 | 32.6 34.1 30.9 37.6 37.6 37.6 37.6 37.6 37.6 37.6 37.6 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 2-CURED, TYPecting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 26.3 22.9 22.0 17.6 15.1 | 43.0 41.4 34.7 36.5 39.9 E 22 31.2 29.6 31.9 31.4 28.6 29.7 31.0 E 23 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 31.2 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.4 60.8 57.2 71.7 46.9 51.5 48.4 54.8 61.6 58.0 71.6 |
| 1968 : 1979 : 1971 : 1971 : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1974 2/ : 1977 : 19 | 40.7 42.7 35.3 34.6 37.7 37.7 35.3 35.3 35.3 35.3 35.3 37.3 30.9 30.9 30.6 32.2 32.6 31.7 | 21.4 11.7 9.7 4.7 1.2 3.1 1.1 19.8 15.4 7.6 6.9 9 4.0 1.1 2.5 0.9 | 16.7 18.3 18.8 14.0 16.5 16.5 16.5 16.5 12.8 14.0 11.2 13.8 12.9 7.6 KE | 78.8 72.7 63.8 72.7 63.8 53.3 56.2 57.3 45.1 NNESSEE and (October- 71.4 63.2 58.9 45.8 45.8 47.1 48.0 40.2 NTUCKY and (October- | 32.6 34.1 30.9 37.6 37.6 37.6 27.7 30.8 3 KENTUCKY FIR -September Mari 23.0 25.3 25.8 24.4 29.9 30.6 23.2 25.6 TENNESSEE FIR -September Mari 6.4 7.3 8.3 6.5 | 111.4 106.8 94.7 90.9 93.8 85.0 75.9 8-CURED, TYP teting Year) 94.4 88.5 84.7 77.2 75.5 77.7 71.2 65.8 8-CURED, TYP teting Year) 22.9 22.0 17.6 | 43.0 41.4 34.7 36.5 39.9 E 22 29.6 31.9 31.4 28.6 29.7 31.0 E 23 | 24.5 28.3 18.7 22.3 24.2 | 18.5 13.1 16.0 14.2 15.7 29.6 31.9 31.4 28.6 29.7 31.0 | 48.1 54.4 60.8 57.3 71.7 46.9 51.5 54.8 61.6 58.6 71.6 |

Table 4. Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1967-74.

BURLEY, TYPE 31 (October-September Marketing Year)

| arketing | Carryov | er stocks | 1/ | - | | : | D | isappearance | 2 | Average |
|-------------------------|--------------------|-------------------|--------------|--------------------|----------------------------------|---------------------|----------------|--------------|-------------------------|------------------------|
| Year | Manu- facturers | : Under : Loan | Other | Total | : Production : or Sales | : Total : Supply | Total | Export | Other: | Price to Growers |
| | Million | : Million | Million | Million | Million | : Million | : : | Million | : Million | : |
| | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | Cents |
| | | | | | | | | | | |
| 1967 | 1,038.1 | 276.7 | 66.7 | 1,381.5 | 540.6 | 1,992.1 | 598.0 | 53.4 | 544.6 | 71.8 |
| 1968 | | 321.7 | 35.9 | 1,324.1 | 563.4 | 1,887.5 | 571.0 | 54.9 | 516.1 | 73.7 |
| 1969 | 941.6 | 340.8 | 34.1 | 1,316.5 | 591.4 | 1,907.9 | 565.2 | 58.1 | 507.1 | 69.6 |
| 1970 | 858.0 | 454.8 | 29.9 | 1,342.7 | 560.5 | 1,903.2 | 557.4 | 54.4 54.7 | 503.0 5 1 5.2 | 72.2 |
| 1971 | 854.4 887.7 | 463.4 327.7 | 28.0 | 1,345.8 | 472.6 590.3 | 1,818.4 1,838.8 | 569.9 609.6 | 75.6 | 534.0 | 79.2 |
| 1972 1973 | 920.3 | 276.7 | 33.1 32.2 | 1,248.5 1,229.2 | 461.4 | 1,690.6 | 619.9 | 86.8 | 533.1 | 92.9 |
| 1974 2/ | 900.5 | 139.2 | 31.0 | 1,070.7 | 563.3 | 1,090.0 | 019.9 | 00.0 | 233.1 | 34.3 |
| | | | | | MARYLAND, TYPE -September Mar | | | | | |
| 1967 | : 48.9 | 18.5 | 28.2 | 95.6 | 32.4 | 128.0 | 36.0 | 15.7 | 20.3 | 62.4 |
| 1968 | 57.8 | 9.3 | 24.9 | 92.0 | 31.9 | 123.9 | 48.7 | 10.4 | 38.3 | 69.8 |
| | 56.8 | | 18.4 | 75.2 | 28.1 | 103.3 | 41.3 | 12.2 | 29.1 | 75.1 |
| 1970 | | | 19.4 | 62.0 | 29.4 | 91.4 | 39.6 | 11.9 | 27.0 | 78.6 |
| 1971 | : 34.7 | | 17.1 | 51.8 | 28.1 | 79.9 | 25.4 | 8.0 | 17.4 | 81.9 |
| 1972 | 33.7 | | 20.7 | 54.5 | 23.8 | 78.3 | 25.6 | 12.1 | 13.5 | 84.5 |
| 1973 1974 <u>2</u> / | : 32.8 : 41.4 | | 19.9 20.3 | 52.7 61.7 | 35.0 28.8 | 87.7 | 26.0 | 12.3 | 13.7 | 90.5 |
| | | | | | TOTAL, TYPES 3 | | | | | |
| | | | | | | | | | | / |
| | 35.9 | 21.3 | 3.3 | 60.5 | 15.5 | 76.0 | 17.8 | 3.0 | 14.8 | 40.8 |
| | : 36.6 : 41.1 | 17.1 15.0 | 4.5 3.0 | 58.2 59.1 | 18.0 18.1 | 76.2 77.2 | 17.1 23.5 | 2.1 | 15.0 21.2 | 47.4 |
| 1970 | 32.7 | 18.2 | 2.8 | 53.7 | 15.4 | 69.1 | 19.3 | 2.6 | 16.7 | 46.0 |
| 1971 | 32.6 | 14.3 | 2.9 | 49.8 | 15.7 | 65.5 | 19.3 | 1.9 | 17.4 | 47.1 |
| 1972 | 30.9 | 12.7 | 2.6 | 46.2 | 15.5 | 61.7 | 17.0 | 2.3 | 14.7 | 50.3 |
| 1973 | 29.0 | 12.8 | 2.9 | 44.7 | 12.4 | 57.0 | 20.2 | 2.9 | 17.3 | 61.9 |
| 1974 2/ | 28.0 | 5.5 | 3.4 | 36.9 | 12.7 | | | | | |
| | | | | | NE SUCKER, TYP -September Mar | | | | | |
| 1967 | : 22.3 | 12.0 | 3.1 | 37.4 | 10.4 | 47.8 | 11.4 | 2.4 | 9.0 | 42.3 |
| | : 23.9 | 8.7 | 3.8 | 36.4 | 12.6 | 49.0 | 10.4 | 1.5 | 8.9 | 49.5 |
| 1969 | : 28.3 | 7.8 | 2.6 | 38.6 | 13.3 | 51.9 | 17.6 | 1.9 | 15.7 | 40.7 |
| | : 21.9 | 10.1 | 2.3 | 34.3 | 10.9 | 45.2 | 13.2 | 2.0 | 11.2 | 47.5 |
| 1971 | 22.2 | 7.8 | 2.0 | 32.0 | 11.2 | 43.2 | 13.8 | 1.7 | 12.1 | 47.3 |
| | : 20.7 | 6.3 | 2.4 | 29.4 | 10.6 | 40.0 | 12.0 | 2.0 | 10.0 | 51.6 |
| | : 19.7 | 6.1 | 2.2 | 28.0 | 8.7 | 36.7 | 13.6 | 2.6 | 11.0 | 61.2 |
| 1974 <u>2</u> / | : 18.6 | 2.5 | 2.0 | 23.1 | 8.9 | | | | | |
| | | | | | REEN RIVER, TY -September Mar | | | | | |
| | : 13.6 | 9.3 | 0.2 | 23.1 | 5.0 | 28.1 | 6.4 | 0.6 | 5.8 | 37.9 |
| | : 12.7 | 8.4 | 0.7 | 21.7 | 5.4 | 27.1 | 6.7 | 0.6 | 6.1 | 42.7 |
| | : 12.8 | 7.2 | 0.4 | 20.4 | 4.8 | 25.2 | 5.8 | 0.4 | 5.4 | 39.4 |
| | : 10.8 | 8.1 | 0.5 | 19.4 | 4.4 | 23.8 | 6.0 | 0.5 | 5.5 | 42.5 |
| | : 10.4 | 6.5 | 0.9 | 17.8 | 4.5 | 22.3 | 5.5 | 0.3 | 5.2 | 46.4 |
| 1972 1973 | : 10.2 | 6.4 | 0.2 | 16.8 | 4.9 | 21.7 | 5.0 | 0.3 | 4.7 | 47.4 63.5 |
| 1973 1974 <u>2</u> / | : 9.3 : 10.2 | 6.7 3.0 | 0.7 | 16.7 13.8 | 3.8 3.8 | 20.5 | 6.7 | 0.2 | 6.5 | 03.5 |
| | | | | | NIA SUN-CURED, | | | | | |
| | : 3.8 | | 0.4 | 4.2 | 1.3 | 5.5 | 1.6 | 0.4 | 1.2 | 45.2 |
| | : 3.7 | | 0.2 | 3.9 | 1.2 | 5.1 | 1.3 | 0.2 | 1.1 | 53.2 |
| | : 3.5 | | 0.3 | 3.8 | 1.3 | 5.1 | 1.8 | 0.3 | 1.5 | 52.8 |
| 1970 | : 3.2 | | 0.1 | 3.3 | 1.1 | 4.4 | 1.2 | 0.2 | 1.0 | 53.8 |
| | : 3.1 | | 0.1 | 3.2 | 1.1 | 4.3 | 1.3 | 0.2 | 1.1 | 54.1 |
| | : 3.0 | | | 3.0 | 0.8 | 3.8 | 0.6 | 0.2 | 0.4 | 57.9 |
| 1973 | : 3.2 | | 3/ | 3.2 | 0.9 | 4.1 | 1.1 | 0.2 | 0.9 | 69.2 |
| 1974 2/ | : 3.0 | | | 3.0 | 0.9 | | | | | |

Table 4. Production, stocks, supply disappearance on a farm-sales-weight basis, and price of specified types, 1967-74.

PENNSYLVANIA SEEDLEAF, TYPE 41 (October-September Marketing Year)

| w | Carryove | r stocks | 1/ | | | : | : г | isappearance | е | : Average |
|--|--|--|---|--|--|--|--|-------------------|---|----------------------|
| Marketing : Year : | Manu- | Under : | | | Production | : Total | | | | : Price |
| | | Loan | Other | Total | or Sales | | Total | Export | Other | Growers |
| | | Million | Million | Million | Million | Million | Million | Million | Million | |
| | | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | Cents |
| 1967 | | | 86.5 | 112.3 | 38.3 | 150.6 | 41.9 | 0.6 | 41.3 | 28.0 |
| 1968 : | 87.3 | | 87.3 | 108.7 | 37.3 | 146.0 | 40.9 | 0.9 | 40.0 | 30.0 |
| 1969 : | 79.3 | | 79.3 | 105.1 | 36.5 | 141.6 | 44.3 | 0.6 | 43.7 | 30.0 |
| 1970 : | | | 70.5 | 97.3 | 30.6 | 127.9 | 40.9 | 0.2 | 40.7 | 31.0 |
| 1971 : | | | 59.4 | 87.0 | 24.5 | 111.5 | 41.3 | 0.4 | 40.9 | 36.0 |
| 1972 : | 53.8 | | 53.8 | 70.2 | 18.2 | 88.4 | 34.7 | 0.3 | 34.4 | 46.0 |
| 1973 : 1974 <u>2</u> / : | 42.9 39.0 | | 42.9 39.0 | 53.7 47.5 | 22.1 24.7 | 75.8 72.2 | 28.3 | 0.8 | 27.5 | 52.0 |
| | | | | OHI | FILLER, TYPE September Mar | S 42-44 | | | | |
| 1967 : | 14.5 | 0.2 | 0.8 | 15.5 | 3.6 | 19.1 | 6.2 | | 6.2 | 29.0 |
| 1968 : | | | 1.7 | 12.9 | 3.4 | 16.3 | 5.4 | | 5.4 | 31.0 |
| 1969 : | 9.6 | | 1.3 | 10.9 | 2.8 | 13.7 | 4.7 | | 4.7 | 32.5 |
| 1970 : | 8.2 | 0.1 | 0.7 | 9.0 | 2.9 | 11.9 | 4.1 | | 4.1 | 38.0 |
| 1971 : | 7.4 | | 0.4 | 7.8 | 3.8 | 11.6 | 4.6 | | 4.6 | 41.0 |
| 1972 : | 6.7 | | 0.3 | 7.0 | 4.2 | 11.2 | 4.4 | | 4.4 | 44.0 |
| 1973 : 1974 2/ : | 5.8 5.3 | | 1.0 0.6 | 6.8 5.9 | 3.6 3.4 | 10.4 | 4.5 | | 4.5 | 51.0 |
| 1314 2/ . | | | 0.0 | | O RICAN FILLER | | | | | |
| | | | | (October | -September Mar | keting Year) | | | | |
| 1967 : | | 1.5 | 8.8 | 40.5 | 10.8 | 51.3 | 16.9 | | 16.9 | 33.1 |
| 1968 : | | 1.5 | 4.4 | 34.4 | 7.6 | 42.0 | 16.2 | | 16.2 | 33.3 |
| 1969 : | | 1.5 | 3.2 | 25.8 | 6.1 | 31.9 | 12.6 | | 12.6 | 33.6 |
| 1970 : | | 5.5 | 0.9 | 19.3 | 4.5 | 23.8 | 8.8 | | 8.8 | 36.1 |
| 1971 : | 9.7 | 2.8 | 2.5 | 15.0 | 6.7 | 21.7 | 9.0 | | 9.0 | 39.8 |
| 1972 : | | | 3.7 | 12.7 | 4.8 | 17.5 | 8.3 | | 8.3 | 42.1 |
| 1973 : 1974 2/: | | | 2.4 4.3 | 9.2 10.0 | 6.5 7.0 | 15.7 | 5.7 | | 5.7 | 41.2 |
| | | | | CONNECT | ICUT BINDER, T | | | | | |
| 1967 : | 9.2 | 3.3 | 3.9 | 16.4 | 2.7 | 19.1 | 7.9 | 2.2 | 5.7 | 54.5 |
| 1968 : | 7.3 | 1.5 | 2.4 | 11.2 | 2.8 | 14.0 | 5.1 | 0.4 | 4.7 | 59.5 |
| 1969 : | | 1.4 | 2.7 | 8.9 | 2.3 | 11.2 | 4.2 | 0.3 | 3.9 | 58.2 |
| 1970 : | | 2.1 | 1.9 | 7.0 | 2.9 | 9.9 | 2.7 | 0.3 | 2.4 | 65.5 |
| 1971 : | | 1.9 | 2.4 | 7.2 | 2.8 | 10.0 | 2.6 | 0.1 | 2.5 | 65.7 |
| 1972 : | 3.3 | 2.0 | 2.1 | 7.4 | 2.5 | 9.9 10.2 | 2.4 | 0.1 | 2.3 3.1 | 70.1 72.8 |
| 1973 : 1974 2/: | | 2.1 2.1 | 2.1 2.3 | 7.5 7.0 | 2.7 2.5 | 9.5 | 3.2 | 0.1 | 3.1 | 72.0 |
| | | | | CONNEC | TICUT BROADLEA September Mar | F, TYPE 51 | | | | |
| 1967 : | 7.7 | 1.1 | 3.0 | 11.8 | 2.0 | 13.8 | 5.3 | 2.2 | 3.1 | 55.0 |
| | | 0.5 | 2.0 | 8.5 | 2.1 | 10.6 | 4.4 | 0.4 | 4.0 | 60.0 |
| 1968 : | : 6.0 | | | 6.2 | 1.7 | 7.9 | 3.6 | 0.3 | 3.3 | 59.0 |
| 1969 : | 3.7 | 0.4 | 2.1 | 0.2 | | | | | | |
| 1969 1970 | 3.7 1.9 | 0.9 | 1.5 | 4.3 | 2.2 | 6.5 | 2.1 | 0.3 | 1.8 | 67.0 |
| 1969 1970 1971 | 3.7 1.9 1.8 | 0.9 1.1 | 1.5 1.5 | 4.3 | 2.2 2.2 | 6.6 | 1.4 | 0.1 | 1.3 | 67.0 |
| 1969 1970 1971 1972 | 3.7 1.9 1.8 2.3 | 0.9 1.1 1.2 | 1.5 1.5 1.6 | 4.3 4.4 5.2 | 2.2 2.2 2.0 | 6.6 7.2 | 1.4 1.8 | 0.1 | 1.3 1.7 | 67.0 72.0 |
| 1969 1970 1971 1972 1973 | : 3.7 : 1.9 : 1.8 : 2.3 : 2.4 | 0.9 1.1 1.2 1.2 | 1.5 1.5 1.6 1.8 | 4.3 4.4 5.2 5.4 | 2.2 2.2 2.0 2.3 | 6.6 7.2 7.7 | 1.4 | 0.1 | 1.3 | 67.0 |
| 1969 1970 1971 1972 1973 | : 3.7 : 1.9 : 1.8 : 2.3 : 2.4 | 0.9 1.1 1.2 | 1.5 1.5 1.6 | 4.3 4.4 5.2 5.4 4.9 | 2.2 2.2 2.0 2.3 2.1 | 6.6 7.2 7.7 7.0 EED, TYPE 52 | 1.4 1.8 | 0.1 | 1.3 1.7 | 67.0 72.0 |
| 1969 : 1970 : 1971 : 1972 : 1973 : 1974 <u>2</u> / : | 3.7 : 1.9 : 1.8 : 2.3 : 2.4 : 1.7 | 0.9 1.1 1.2 1.2 1.2 | 1.5 1.5 1.6 1.8 2.0 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October | 2.2 2.2 2.0 2.3 2.1 ICUT HAVANA SE | 6.6 7.2 7.7 7.0 EED, TYPE 52 keting Year) | 1.4 1.8 2.8 | 0.1 | 1.3 1.7 | 67.0 72.0 |
| 1969 1970 1971 1972 1973 1974 <u>2</u> / : | : 3.7 : 1.9 : 1.8 : 2.3 : 2.4 : 1.7 | 0.9 1.1 1.2 1.2 | 1.5 1.5 1.6 1.8 2.0 | 4.3 4.4 5.2 5.4 4.9 | 2.2 2.2 2.0 2.3 2.1 | 6.6 7.2 7.7 7.0 EED, TYPE 52 | 1.4 1.8 | 0.1 0.1 0.1 | 1.3 1.7 2.7 | 67.0 72.0 |
| 1969 1970 1971 1972 1973 1974 2/ 1967 1968 | 3.7 : 1.9 : 1.8 : 2.3 : 2.4 : 1.7 | 0.9 1.1 1.2 1.2 1.2 | 1.5 1.5 1.6 1.8 2.0 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October | 2.2 2.2 2.0 2.3 2.1 ICUT HAVANA SE -September Max | 6.6 7.2 7.7 7.0 EED, TYPE 52 Sketing Year) | 1.4 1.8 2.8 | 0.1 0.1 0.1 | 1.3 1.7 2.7 | 67.0 72.0 73.0 |
| 1969 1970 1971 1972 1973 1974 <u>2</u> / : | : 3.7 1.9 : 1.8 : 2.3 : 2.4 : 1.7 | 0.9 1.1 1.2 1.2 1.2 | 1.5 1.5 1.6 1.8 2.0 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October | 2.2 2.2 2.0 2.3 2.1 ICUT HAVANA SE-September Mar 0.7 0.7 | 6.6 7.2 7.7 7.0 EED, TYPE 52 Eketing Year) | 1.4 1.8 2.8 | 0.1 0.1 0.1 | 1.3 1.7 2.7 2.4 9.8 0.6 0.6 | 67.0 72.0 73.0 |
| 1969 1970 1971 1972 1973 1974 2/: | 3.7 1.9 1.8 2.3 2.4 1.7 | 0.9 1.1 1.2 1.2 1.2 1.0 1.0 1.0 0.8 | 1.5 1.5 1.6 1.8 2.0 0.8 0.4 0.6 0.4 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October 4.5 2.8 2.7 2.7 2.8 | 2.2 2.2 2.0 2.3 2.1 ICUT HAVANA SE -September Mar 0.7 0.7 0.6 0.7 | 6.6 7.2 7.7 7.0 EED, TYPE 52 Eketing Year) 5.2 3.5 3.3 3.4 3.4 | 1.4 1.8 2.8 2.4 0.8 0.6 0.6 | 0.1 0.1 0.1 | 2.4 9.8 0.6 0.6 1.1 | 61.0 61.0 |
| 1969 : 1970 : 1971 : 1972 : 1973 : 1974 2/ : 1966 : 1969 : 1970 : 1971 : 1972 : 1972 | : 3.7 1.9 : 1.8 : 2.3 : 2.4 : 1.7 | 0.9 1.1 1.2 1.2 1.2 1.2 1.0 1.0 1.0 0.8 | 1.5 1.5 1.6 1.8 2.0 0.8 0.4 0.6 0.4 0.9 0.5 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October 4.5 2.8 2.7 2.7 2.8 2.3 | 2.2 2.0 2.3 2.1 ICUT HAVANA SE -September Mar 0.7 0.7 0.6 0.7 0.6 0.7 | 6.6 7.2 7.7 7.0 EED, TYPE 52 kketing Year) 5.2 3.5 3.3 3.4 2.8 | 1.4 1.8 2.8 2.4 0.8 0.6 0.6 1.1 | 0.1 0.1 0.1 | 1.3 1.7 2.7 2.4 9.8 0.6 0.6 1.1 0.7 | 61.0 61.0 62.0 |
| 1969 1970 1971 1972 1973 1974 2/: | : 3.7 1.9 : 1.8 : 2.3 : 2.4 : 1.7 : 1.5 : 1.4 : 1.1 : 1.1 | 0.9 1.1 1.2 1.2 1.2 1.0 1.0 1.0 0.8 | 1.5 1.5 1.6 1.8 2.0 0.8 0.4 0.6 0.4 | 4.3 4.4 5.2 5.4 4.9 CONNECT (October 4.5 2.8 2.7 2.7 2.8 | 2.2 2.2 2.0 2.3 2.1 ICUT HAVANA SE -September Mar 0.7 0.7 0.6 0.7 | 6.6 7.2 7.7 7.0 EED, TYPE 52 Eketing Year) 5.2 3.5 3.3 3.4 3.4 | 1.4 1.8 2.8 2.4 0.8 0.6 0.6 | 0.1 0.1 0.1 | 2.4 9.8 0.6 0.6 1.1 | 61.0 61.0 |

Table 4. Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1967-74.

WISCONSIN BINDER, TYPES 54-55 (October-September Marketing Year)

| | | | | (October | -September Mark | eting Year) | | | | |
|-------------------|------------------------|-------------------|-------------------|-------------------|------------------------------------|---------------------|-------------------|-------------------|-------------------|------------------------|
| Manhatina | Carryo | ver stocks | 1/ | | | : | : [| isappearanc | e | : Average |
| Marketing Year | : Manu- : facturers | : Under : Loan | Other | Total | Production or Sales | : Total : Supply | Total | Export | Other | Price to Growers |
| | : Million : pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Million pounds | Cents |
| 1967 | : : 39.2 | 6.6 | 4.2 | 50.0 | 16.1 | 66.1 | 17.3 | 0.4 | 16.9 | 34.2 |
| | : 40.0 : 38.6 | 5.4 1.1 | 3.4 1.6 | 48.8 40.3 | 14.0 13.2 | 62.8 53.5 | 22.5 18.3 | 0.4 | 22.1 18.0 | 37.3 41.8 |
| | : 33.3 | | 1.9 | 35.2 | 18.4 | 53.6 | 16.5 | 0.3 | 16.4 | 51.1 |
| 1971 | : 35.2 | | 2.0 | 37.1 | 22.5 | 59.6 | 20.4 | 3/ | 20.4 | 54.9 |
| 1972 1973 | : 37.0 : 35.2 | <u>3</u> / | 2.3 3.8 | 39.2 39.0 | 18.7 19.0 | 57.9 58.0 | 18.9 22.2 | 3/ 3/ | 18.9 22.2 | 48.5 60.6 |
| 1974 2/ | : 30.4 | | 5.4 | 35.8 | 17.6 | | | | | |
| | | | • | | ERN WISCONSIN, -September Mark | | | | | |
| 1967 | : 19.6 | 0.7 | 0.4 | 20.7 | 7.2 | 27.9 | 8.0 | | 8.0 | 34.4 |
| | : 18.8 : 19.1 | 0.3 | 0.8 | 19.9 19.6 | 7.4 6.4 | 27.3 26.0 | 7.7 9.3 | | 7.7 9.3 | 36.8 40.2 |
| 1969 | : 16.5 | <u>3</u> / | 0.3 | 16.7 | 9.4 | 26.0 | 7.3 | | 7.3 | 50.3 |
| 1971 | : 18.2 | | 0.6 | 18.8 | 12.0 | 30.8 | 10.5 | | 10.5 | 55.6 |
| 1972 1973 | : 19.2 : 17.4 | <u>3</u> / | 1.1 2.0 | 20.3 19.4 | 8.4 9.6 | 28.7 29.0 | 9.3 10.1 | | 9.3 10.1 | 48.0 60.5 |
| 1974 2/ | : 15.0 | | 3.9 | 18.9 | 9.0 | 27.0 | 10.1 | | 10.1 | |
| | | | | | ERN WISCONSIN, -September Mark | | | | | |
| | : 19.6 | 5.9 | 3.8 | 29.3 | 8.9 | 38.2 | 9.3 | 0.4 | 8.9 | 34.1 |
| | : 21.2 : 19.5 | 5.1 <u>3</u> / | 2.6 1.1 | 28.9 20.7 | 6.7 6.7 | 35.6 27.4 | 14.9 8.8 | 0.4 | 14.5 8.5 | 37.9 43.4 |
| 1970 | : 16.8 | | 1.8 | 18.6 | 9.0 | 27.6 | 9.2 | 0.1 | 9.1 | 52.0 |
| 1971 1972 | : 17.0 | | 1.4 | 18.4 | 10.5 | 28.9 | 9.9 9.8 | 3/ | 9.9 9.8 | 54.0 49.0 |
| 1972 | : 17.8 : 17.8 | <u>3</u> / | 1.8 | 19.0 19.5 | 10.3 9.4 | 29.3 28.9 | 12.0 | 3/ 3/ | 12.0 | 60.7 |
| 1974 2/ | : 15.4 | | 1.5 | 16.9 | 8.6 | | | | | |
| | | | | | IGAR WRAPPER, 1 y-June Marketir | | | | | |
| | : 19.5 | | 5.2 | 24.7 | 17.6 | 42.3 | 20.8 | 4.9 | 15.9 | 308.0 |
| | : 17.8 : 17.7 | | 3.7 2.0 | 21.5 19.7 | 18.1 15.9 | 39.6 35.6 | 19.9 14.2 | 3.9 1.9 | 16.0 12.3 | 276.0 341.3 |
| 1970 | : 19.0 | | 2.4 | 21.4 | 14.9 | 36.3 | 14.3 | 1.9 | 12.4 | 351.0 |
| 1971 1972 | : 19.3 : 17.1 | | 2.7 2.7 | 22.0 19.8 | 12.4 | 34.4 29.5 | 14.6 11.8 | 3.5 3.2 | 11.1 8.6 | 347.5 387.1 |
| 1973 | : 14.7 | | 3.0 | 17.7 | 9.7 | 27.5 | 12.5 | 2.4 | 10.1 | 452.2 |
| 1974 <u>2</u> / | : 12.0 | | 3.0 | 15.0 | 11.4 | | | | | |
| | | | | | ECTICUT SHADE, y-June Marketir | | | | | |
| | : 13.3 | | 2.7 | 16.0 | 9.6 | 25.6 | 12.9 | 3.3 | 9.6 | 360.0 |
| | : 11.5 : 11.2 | | 1.2 | 12.7 12.1 | 10.2 8.1 | 22.9 | 10.8 | 1.7 | 9.1 7.0 | 280.0 400.0 |
| 1970 | : 11.5 | | 0.7 | 12.2 | 9.3 | 21.5 | 7.6 | 1.0 | 6.6 | 400.0 |
| | : 12.5 : 11.4 | | 1.4 | 13.9 13.2 | 7.7 5.1 | 21.6 18.3 | 8.4 | 2.7 | 5.7 4.8 | 400.0 485.0 |
| 1972 | : 11.4 | | 1.7 | 10.7 | 6.0 | 16.7 | 7.6 8.2 | 1.9 | 6.3 | 485.0 515.0 |
| 1974 <u>2</u> / | | | 1.6 | 8.5 | 8.2 | 16.7 | | | | |
| | | | | | and FLORIDA SHA y-June Marketir | | 2 | | | |
| | : 6.2 | | 2,5 | 8.7 | 8.0 | 16.7 | 7.9 | 1,6 | 6.3 | 245.0 |
| | : 6.3 | | 2.5 1.0 | 8.8 7.5 | 7.9 7.8 | 16.7 15.3 | 9.2 6.1 | 2.1 0.9 | 7.1 5.2 | 270.0 280.0 |
| | : 7.5 | | 1.7 | 9.2 | 5.6 | 14.8 | 6.7 | 0.9 | 5.8 | 270.0 |
| 1971 | : 6.8 | | 1.3 | 8.1 | 4.7 | 12.8 | 6.1 | 0.8 | 5.3 | 262.0 |
| 1972 1973 | : 5.7 : 5.7 | | 0.9 1.3 | 6.7 7.0 | 4.6 3.7 | 11.3 10.7 | 4.3 4.2 | 0.4 | 3.9 3.7 | 280.0 350.0 |
| 1974 2/ | : 5.1 | | 1.4 | 6.5 | 3.2 | 9.7 | 7.2 | 0.5 | 3., | 330.0 |

<sup>1974 2/: 5.1 -- 1.4 6.5 3.2 9.7

1/</sup> Tabulated by broad groupings of ownership. "Other" represents stocks of dealers and may include quantities held by

To take the design of the second of the seco

Table 5. Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and wrapper, and for cigarettes (including smoking tobacco), separately

REPORTED WEIGHT

| | | | Cigar Binder | and Wrapper | | | |
|----------------------------|---|---|---|---|---|--|--|
| U.S. Type | : | | October 1 | | July 1, | April 1, | : : January 1, |
| Number | : | 1974 | 1973 | : 1972 | 1974 | 1974 | : 1974 |
| Aldride B | : | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 1ь. | 1,000 lb. |
| | : : | | | | | | 2,000 201 |
| 11-14 | : Stemmed : | 4 | 6 | 6 | | 4 | 5 |
| 32 | : Stemmed : | 31 | 52 | 52 | 42 | 37 | 48 |
| 41 | : Unstemmed : | | 487 | 574 | 341 | 407 | 354 |
| | : Stemmed : | 368 | 417 | 401 | 689 | 477 | 545 |
| | : Total : | 585 | 904 | 975 | 1,030 | 884 | 899 |
| 10.11 | | 11 | 34 | 10 | 1/ | 10 | 0.7 |
| 42-44 | : Stemmed : | | | 40 | 14 | 13 | 31 |
| 40 | : Stemmed : | 6 | 6 | 9 | 0 | 5 | 7 |
| | : Total : | 6 | 6 | 9 | 6 | 5 | 7 |
| 51 | : Unstemmed : | | 30 | 46 | 12 | 47 | 31 |
| | : Stemmed : | | | | 0 | 0 | 9 |
| | : Total : | 53 | 30 | 46 | 12 | 47 | 40 |
| 52 | : Unstemmed : | | 41 | 72 | 0 | 45 | 40 |
| | : Stemmed : | 5 | 0 | 0 | 57 | 4 | 5 |
| | : Total : | 56 | 41 | 72 | 57 | 49 | 45 |
| | : | | | | | | |
| 54 | : Stemmed : | 91 | 189 | 153 | 187 | 137 | 156 |
| 55 | : Unstemmed : | | 2 | 17 | 4 | 2 | 2 |
| | : Stemmed : | 19 | 26 | 26 | 20 | 19 | 34 |
| | : Total : | 21 | 28 | 43 | 24 | 21 | 36 |
| | | | | | | | |
| 61 | : Unstemmed : | | 10 | 17 | 2 | 1 | 10 |
| | : Stemmed : : Total : | 11 | 6 16 | 19 36 | 14 | 12 | 5 15 |
| | iiotai | 12 | 10 | 30 | 10 | 13 | 13 |
| 62 | : Stemmed : | 2 | 1 | 1 | 2 | 1 | 0 |
| 02 | · Decimied | | | | | | |
| 81-89 | : Unstemmed : | 5 | 8 | 23 | 9 | 6 | 154 |
| | : Stemmed : | 175 | 220 | 195 | 203 | 188 | 166 |
| | : Total : | 180 | 228 | 218 | 212 | 194 | 320 |
| | : : | | | | | | |
| Total | : Unstemmed : | 329 | 578 | 749 | 374 | 508 | 591 |
| | | | | | | | |
| | : Stemmed : | 723 | 941 | 902 | 1,233 | 897 | 1,011 |
| | : Stemmed : : Total : | 723 1,052 | 941 1,519 | 902 1,651 | 1,233 1,607 | 897 1,405 | 1,602 |
| | : Total : | 1,052 Cigar | 1,519 ettes (includin | 1,651 g smoking tobacco | 1,607 | 1,405 | 1,602 |
| 11-14 | : Total : | 1,052 Cigar | 1,519 ettes (includin | 1,651 g smoking tobacco | 1,607 | 1,405 | 1,602 |
| 11-14 | : Total : : Unstemmed : : Stemmed : | 1,052 Cigard | 1,519 ettes (includin 1,167 11,181 | 1,651 g smoking tobacco 1,514 9,755 | 1,607 0) 1,350 10,340 | 1,405 1,164 10,179 | 1,602 1,093 10,866 |
| 11-14 | : Total : | 1,052 Cigar | 1,519 ettes (includin | 1,651 g smoking tobacco | 1,607 | 1,405 | 1,602 |
| | : Total : | 1,052 Cigard 1,505 10,649 12,254 | 1,519 ettes (includin 1,167 11,181 12,348 | 1,651 g smoking tobacco 1,514 9,755 11,269 | 1,607 o) 1,350 10,340 11,690 | 1,405 1,164 10,179 11,343 | 1,602 1,093 10,866 11,959 |
| 11-14 | : Total : : Unstemmed : Stemmed : Total : : Unstemmed : Unstemmed : | 1,052 Cigard 1,505 10,649 12,254 534 | 1,519 ettes (includin 1,167 11,181 12,348 744 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 | 1,607 1,350 10,340 11,690 510 | 1,405 1,164 10,179 11,343 520 | 1,602 1,093 10,866 11,959 586 |
| | : Total : Unstemmed : Stemmed : Total : Unstemmed : Stemmed | 1,052 Cigard 1,505 10,649 12,254 534 5,610 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 | 1,607 1,350 10,340 11,690 510 5,624 | 1,164 10,179 11,343 520 5,315 | 1,602 1,093 10,866 11,959 586 5,299 |
| | : Total : | 1,052 Cigard 1,505 10,649 12,254 534 | 1,519 ettes (includin 1,167 11,181 12,348 744 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 | 1,607 1,350 10,340 11,690 510 | 1,405 1,164 10,179 11,343 520 | 1,602 1,093 10,866 11,959 586 |
| 31 | : Total : Unstemmed : Stemmed : Total : Unstemmed : Stemmed | 1,052 Cigard 1,505 10,649 12,254 534 5,610 6,144 356 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 5,383 200 | 1,607 1,350 10,340 11,690 510 5,624 6,134 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 | 1,093 10,866 11,959 586 5,299 5,885 |
| | : Total : Unstemmed : Stemmed : Total : Unstemmed : Total : Unstemmed : Stemme d : Total | 1,052 Cigard 1,505 10,649 12,254 534 5,610 6,144 | 1,519 1,167 11,181 12,348 744 5,528 6,272 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 5,383 200 1,505 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 |
| 31 | Unstermed Stermed Total Unstermed Stermed Total Unstermed Stermed Unstermed Stermed Unstermed | 1,052 Cigard 1,505 10,649 12,254 5,610 6,144 356 239 28 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 | 1,093 10,866 11,959 586 5,299 5,885 140 262 36 |
| 31 | Unstemmed Stemmed Total Unstemmed Total Total Total Stemmed Total Stemmed Unstemmed | 1,052 Cigard 1,505 10,649 12,254 534 5,610 6,144 356 239 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 5,383 200 1,505 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 |
| 31 32 41 | Unstermed Stermed Total Unstermed Stermed Total Unstermed Stermed Unstermed Stermed Unstermed Total | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 | 1,651 g smoking tobacco 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 36 298 |
| 31 | Unstemmed Stemmed Total Unstemmed Stemmed Total Unstemmed Total Stemmed Stemmed Total Unstemmed Stemmed Unstemmed | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 36 298 |
| 31 32 41 | Unstermed Stermed Total Unstermed Stermed Total Unstermed Stermed Unstermed Total Stermed Unstermed Unstermed Unstermed Stermed Stermed Total | 1,052 Cigare 1,505 10,649 12,254 534 5,610 6,144 356 239 28 267 15 18 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 | 1,651 g smoking tobaccc 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 | 1,602 1,093 10,866 11,959 5,865 140 262 262 298 23 16 |
| 31 32 41 | Unstemmed Stemmed Total Unstemmed Stemmed Total Unstemmed Total Stemmed Stemmed Total Unstemmed Stemmed Unstemmed | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 36 298 |
| 31 32 41 61 | Unstermed Stermed Total Unstermed Stermed Total Unstermed Stermed Total Stermed Unstermed Unstermed Unstermed Total Total Total Total | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 | 1,651 g smoking tobaccc 1,514 9,755 11,269 759 4,624 5,1383 200 1,505 449 1,954 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 15 18 33 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 262 36 298 23 16 39 |
| 31 32 41 | Unstemmed Stemmed Total Unstemmed Second Total Unstemmed Stemmed Total Unstemmed Stemmed Unstemmed Stemmed Total Unstemmed Stemmed Unstemmed Stemmed Unstemmed | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 3,912 | 1,519 ettes (includin 1,167 11,181 12,348 7,44 5,528 6,272 117 346 60 406 27 16 43 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 | 1,405 1,164 10,179 11,343 5,315 5,835 29 28 267 15 18 33 3,318 | 1,602 1,093 10,866 11,959 5,885 5,299 5,885 140 262 36 298 23 16 39 3,019 |
| 31 32 41 61 | Unstermed Stermed Stermed Total Unstermed Stermed Total Stermed Total Stermed Unstermed Total Stermed Unstermed Total Unstermed Total Unstermed Total Unstermed Stermed Stermed Stermed Stermed Stermed Total | 1,052 Cigard 1,505 10,649 12,254 534 5,610 6,144 356 239 28 267 15 18 33 3,912 1,098 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 3,028 1,315 | 1,651 g smoking tobaccc 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 1,162 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 15 18 33 3,318 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 298 233 16 39 3,019 1,270 |
| 31 32 41 61 | Unstemmed Stemmed Total Unstemmed Second Total Unstemmed Stemmed Total Unstemmed Stemmed Unstemmed Stemmed Total Unstemmed Stemmed Unstemmed Stemmed Unstemmed | 1,052 Cigare 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 3,912 | 1,519 ettes (includin 1,167 11,181 12,348 7,44 5,528 6,272 117 346 60 406 27 16 43 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 | 1,405 1,164 10,179 11,343 5,315 5,835 29 28 267 15 18 33 3,318 | 1,602 1,093 10,866 11,959 5,885 5,299 5,885 140 262 36 298 23 16 39 3,019 |
| 31 32 41 61 91 | Unstermed Stermed Stermed Total Unstermed Stermed Total Stermed Total Stermed Unstermed Total Stermed Unstermed Total Unstermed Total Unstermed Total Unstermed Total Unstermed Total | 1,052 Cigard 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 3,912 1,098 5,010 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 3,028 1,315 4,343 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 3,931 1,254 5,185 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 1,162 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 15 18 33 3,318 | 1,602 1,093 10,866 11,959 586 5,299 5,885 140 298 233 16 39 3,019 1,270 |
| 31 32 41 61 | Unstermed Stermed Stermed Total Unstermed Stermed Total Stermed Total Stermed Unstermed Total Stermed Unstermed Total Unstermed Total Unstermed Total Unstermed Stermed Stermed Stermed Stermed Stermed Total | 1,052 Cigard 1,505 10,649 12,254 534 5,610 6,144 356 239 28 267 15 18 33 3,912 1,098 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 3,028 1,315 | 1,651 g smoking tobaccc 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 1,162 4,733 | 1,405 1,164 10,179 11,342 520 5,315 5,835 133 239 267 15 18 33 3,318 1,208 4,526 | 1,602 1,093 10,866 11,959 586 5,299 5,8855 140 262 26 298 23 16 39 3,019 1,270 4,289 |
| 31 32 41 61 91 | Unstermed Stermed Stermed Total Unstermed Stermed Total Stermed Total Stermed Unstermed Total Stermed Unstermed Total Unstermed Total Unstermed Total Unstermed Total Unstermed Total | 1,052 Cigard 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 3,912 1,098 5,010 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 3,028 1,315 4,343 | 1,651 g smoking tobacci 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 3,931 1,254 5,185 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 1,162 4,733 0 5,685 | 1,405 1,164 10,179 11,343 520 5,315 5,835 239 267 15 18 33 3,318 1,208 4,526 0 | 1,602 1,093 10,866 11,959 5,865 299 5,885 200 262 23 16 39 3,019 1,270 4,289 |
| 31 32 41 61 91 | Unstermed Stermed Stermed Total Unstermed Stermed Total Stermed Unstermed Total Stermed Unstermed Total Unstermed Total Stermed Total Unstermed Total Unstermed Stermed Stermed Total Unstermed Stermed Stermed Total Unstermed Stermed Stermed Stermed | 1,052 Cigard 1,505 10,649 12,254 5,610 6,144 356 239 28 267 15 18 33 3,912 1,098 5,010 | 1,519 ettes (includin 1,167 11,181 12,348 744 5,528 6,272 117 346 60 406 27 16 43 3,028 1,315 4,343 | 1,651 g smoking tobacce 1,514 9,755 11,269 759 4,624 5,383 200 1,505 449 1,954 30 57 87 3,931 1,254 5,185 | 1,607 1,350 10,340 11,690 510 5,624 6,134 130 239 28 267 15 18 33 3,571 1,162 4,733 | 1,405 1,164 10,179 11,343 520 5,315 5,835 133 239 28 267 15 18 33 3,318 1,208 4,526 | 1,602 1,093 10,866 11,959 586 5,299 5,8855 140 262 26 298 23 16 39 3,019 1,270 4,289 |

GRAND TOTAL

| Total | : | Unstemmed | : | 6,534 | 5,890 | 8,488 | 6,059 | 5,764 | 5,574 |
|-------|----|-----------|---|--------|--------|--------|--------|--------|--------|
| A11 | : | Stemmed | : | 18,482 | 19,158 | 17,356 | 18,535 | 17,778 | 18,638 |
| Types | :- | Total | : | 25,017 | 25,048 | 26,044 | 24,594 | 23,542 | 24,212 |

Table 6. Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, October 1, 1974 compared with October 1, 1973 1/2/

REPORTED WEIGHT

| U.S. | Rep | October 1, 1 | by manufacture | ers <u>3</u> / | Reported as | owned by deal | lers (including | loan stocks) 3/ |
|-------------|-----------------|--------------|----------------|---------------------|--------------|-------------------|-------------------|-------------------|
| Type : | | October 1, 1 | 1974 | October 1, | | october 1, 1: | 974 : | October 1, |
| Number : | Unstemmed | : Stemmed | : Total : | 1973 | Unstemmed | : Stemmed | : Total : | 1973 |
| Number | onscenned | : Stemmed | : Iotal | 1973 | Unstemmed | : Stemmed | : local : | 1973 |
| | | | • | | | | : | |
| : | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. : | 1,000 lb. |
| 11-14 | (((10 | 05/ 55/ | 1 000 175 | 934,856 | 205,970 | 210 (75 | 525,645 : | 602,596 |
| | 66,619 | 956,556 | 1,023,175 | 934,030 | 203,970 | 319,675 | 323,643 : | 002,390 |
| 21 | 3,217 | 36 | 3,253 | 3,624 | 2,430 | 62 | 2,492 : | 2,567 |
| 22 : | 30,133 | 261 | 30,394 | : 31,193 : | 8,115 | 21 | 8,136 : | 14,819 |
| 23: | 3,428 | 54 | 3,482 | 4,653 | 1,183 | 22 | 1,205: | 3,963 |
| 21-23 | 36,778 | 351 | 37,129 | 39,470 | 11,728 | 105 | 11,833 : | 21,349 |
| 31 | 22,807 | 579,419 | 602,228 | 612,822 | 116,599 | 26,230 | 142,829 : | 266,372 |
| 32 | 7,514 | 24,075 | 31,589 | 24,493 | 6,091 | 10,092 | 16,183: | 16,140 |
| 31-32 | 30,321 | 603,494 | 633,815 | 637,315 | 122,690 | 36,322 | 159,012 | 282,512 |
| | | 003,494 | 033,813 | . 037,313 | 122,090 | 30,322 | 133,012 | 202,312 |
| 35 | 9,120 | 5,509 | 14,629 | 15,260 | 3,935 | 126 | 4,021 : | 7,565 |
| 36 : | 6,332 | 1,822 | 8,154 | : 7,507 | 3,006 | 229 | 3,235 : | 6,460 |
| 37: | 1,281 | 968 | 2,249 | 2,384 | 0 | 0 | 0 : | 1 |
| 35-37 | 16,733 | 8,299 | 25,032 | 25,151 | 6,941 | 355 | 7,296: | 14,026 |
| /1 | 10 500 | 11 665 | 20.062 | 2/ 200 | F 007 | 1,449 | 7 2// | 0.507 |
| 41 42-44 | 18,598 4,587 | 11,665 | 30,263 | : 34,309 : 5,095 | 5,897 446 | 30 | 7,346 : 476 : | 9,506 917 |
| 46 4/ : | 3,535 | 124 1,156 | 4,711 4,691 | 5,354 | 3,572 | 168 | 3,740 : | 2,038 |
| 41-46 | 26,720 | 12,945 | 39,665 | 44,758 | 9,915 | 1,647 | 11,562 | 12,461 |
| | 201120 | | | 11,750 | 21282 | .,,,,,, | | |
| 51 : | 1,153 | 275 | 1,428 | 1,882 | 2,706 | 115 | 2,821 : | 2,556 |
| 52 : | 751 | 34 | 785 | : 765 | 1,041 | 3 | 1,044 : | 1,072 |
| 54 : | 14,684 | 1,502 | 16,186 | : 15,754 : | 930 | 276 | 1,206 : | 1,702 |
| 55: | 8,502 | 3,829 | 12,331 | :14,458 | 1,377 | 51 | 1,428 | 1,419 |
| 51-55 | 25,090 | 5,640 | 30,730 | 32,859 | 6,054 | 445 | 6,499 | 6,749 |
| 61 | 6,287 | 1,112 | 7,399 | 8,804 | 1,246 | 63 | 1,309 | 1,309 |
| 62 | 4,089 | 323 | 4,412 | 4,397 | 727 | 618 | 1,345 | 1,597 |
| 61-62 | 10,376 | 1,435 | 11,811 | 13,201 | 1,973 | 681 | 2,654 | 2,906 |
| | : | | | : | : | | | |
| 72 : | : 4 | 265 | 269 | : 313 | : 61 | 37 | 98 : | 160 |
| 73 5/ : | :6 | 4,458 | 4,464 | :3,589 | :0 | 33 | 33 : | 0 |
| 72-73 | : 10 | 4,723 | 4,733 | 3,902 | 61 | 70 | 131 | 201 |
| 81 | 3 | 30 | 33 | 88 | 6 | 70 | 76 | 102 |
| 82 | 2,256 | 1,550 | 3,806 | 3,232 | 3,477 | 114 | 3,591 | 5,702 |
| 83 | 7,362 | 6,542 | | : 11,489 | 4,864 | 9,946 | 14,810 | 12,723 |
| 84 | 2,699 | 1,244 | | | 2,901 | 196 | 3,097 | 2,734 |
| 85 | 4,047 | 4,012 | 8,059 | 6,869 | 2,160 | 26 | 2,186 | 3,271 |
| 86 : | : 8,356 | 4,391 | 12,747 | : 10,237 | 1,944 | 460 | 2,404 | 2,317 |
| 87 | : 2,701 | 1,005 | 3,706 | : 2,238 | 2,673 | 128 | 2,801 : | 3,739 |
| 88 : | : 1,643 | 1,645 | 3,288 | : 3,063 | : 865 | 22 | 887 : | 2,032 |
| 89: | :4,780 | 2,760 | 7,540 | :8,396 | 7,164 | 745 | 7,909 | 7,188 |
| 81-89 | 33,847 | 23,179 | 57,026 | 49,826 | 26,054 | 11,707 | 37,761 | 39,178 |
| 91 | : 315,508 | 1,891 | 317,399 | : 344,549 | 430 | 0 | 430 | 325 |
| 92 | : 4,625 | 18,902 | 23,527 | : 19,191 | : 12,339 | 5,512 | 17,851 | 9,884 |
| | | 45,515 | 48,453 | : 18,072 | 4,317 | 7,743 | 12,060 | 7,125 |
| | | | | | | | | |
| 93 | 2,958 | 66,308 | 389,399 | | : 17,086 | 13,255 | 30,341 | 17,334 |
| 93 91-93 | 323,091 | 66,308 | 389,399 | 363,812 | : | 13,255 | 30,341 | 17,334 |
| 93 | | | 389,399 | | 17,086 | 13,255 384,262 | 30,341 792,734 | 17,334 999,312 |

^{1/} Total includes stocks of leaf reported in tobacco sheet. See separate reportings in Table 5.
2/ These statistics represent the quantity of leaf tobacco owned by dealers and manufacturers and others subject to the provisions of PL 661 enacted January 14, 1929 and the amendments thereto.

^{3/} The quantities shown as owned by manufacturers represent domestic manufacturers only. All Government loan stocks are dealers' holdings.
4. Holiudes stocks on the island of Puerto Rico.
5. For explanation of stocks included in this classification see footnote 2 on Page 4.

UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID U.S. DEPARTMENT OF AGRICULTURE AGR-101



OFFICIAL BUSINESS

UNIV OF FLA HUME LI
RL DOCUMENTS

PENALTY FOR PRIVATE USE, \$300

INST OF FD & AGRES

NOTICE

If you no longer need this publication, check here /___/return this sheet, and your name will be dropped from the mailing list.

If your address should be changed, write the new address on this sheet and return the whole sheet to:

Tobacco Division, Stocks Report Agricultural Marketing Service U. S. Department of Agriculture Washington, D. C. 20250 5577 UOFHLF&LEA122 02042 0001 UNIV OF FLA HUME LIBRARY FED-RL DOCUMENTS INST OF FD & AGRL SCI GAINESVILLE FL 32611

> UNIVERSITY OF FLORIDA 3 1262 08494 3843

Tobacco Inspection Services are available to all residents of the United States regardless of race, creed, or national origin. Violations should be reported to the Secretary of Agriculture, Washington, D. C. 20250